


SCARP MT 29"


2021



	S	M	L	XL
A Size				
Size in inch	15	17	19	21
Size in cm	38	43	48	53
B Seattube length	380	430	480	530
C Toptube length	583	603	623	643
D Seat angle	74°(69°)	74°(69,5°)	74°(70°)	74°(70,5°)
E Head angle	67,5°	67,5°	67,5°	67,5°
F Headtube length	95	105	115	125
G Chainstay length	435	435	435	435
H Wheelbase	1131	1152	1174	1195
I Stack	593	603	612	622
J Reach	413	431	448	466
K Standover height	790	790	790	796
L BB drop	38	38	38	38

SCARP 29"


2021



A	Size	S	M	L	XL
	Size in inch	15	17	19	21
	Size in cm	38	43	48	53
B	Seattube length	380	430	480	530
C	Toptube length	580	600	620	640
D	Seat angle	75°(70°)	75°(70,5°)	75°(71°)	75°(71,5°)
E	Head angle	68,5°	68,5°	68,5°	68,5°
F	Headtube length	95	105	115	125
G	Chainstay length	435	435	435	435
H	Wheelbase	1124	1145	1166	1187
I	Stack	586	596	605	614
J	Reach	423	440	458	475
K	Standover height	780	780	780	786
L	BB drop	45	45	45	45

SCARP 294


2021



	Size	M	L	XL
A	Size in inch	17	19	21
	Size in cm	43	48	53
B	Seattube length	430	480	530
C	Toptube length	600	620	640
D	Seat angle	74,5/72,7°	74,5/72,9°	74,5/73,0°
E	Head angle	70,0°	70,0°	70,0°
F	Headtube length	105	115	125
G	Chainstay length	441	441	441
H	Wheelbase	1129	1149	1170
I	Stack	603	612	621
J	Reach	433	450	468
K	Standover height	775	772	771
L	BB drop	45	45	45

SCARP MT 29"


2020



	XS	S	M	L
A Size				
Size in inch	15	17	19	21
Size in cm	38	43	48	53
B Seattube length	380	430	450	480
C Toptube length	583	603	623	643
D Seat angle	74°(69°)	74°(69,5°)	74°(70°)	74°(70,5°)
E Head angle	67,5°	67,5°	67,5°	67,5°
F Headtube length	95	105	115	125
G Chainstay length	435	435	435	435
H Wheelbase	1131	1152	1174	1195
I Stack	593	603	612	622
J Reach	413	431	448	466
K Standover height	790	790	790	796
L BB drop	38	38	38	38

SCARP 29"


2020



	XS	S	M	L
A Size				
Size in inch	15	17	19	21
Size in cm	38	43	48	53
B Seattube length	400	430	450	480
C Tootube length	580	600	620	640
D Seat angle	75°(70°)	75°(70,5°)	75°(71°)	75°(71,5°)
E Head angle	68,5°	68,5°	68,5°	68,5°
F Headtube length	95	105	115	125
G Chainstay length	435	435	435	435
H Wheelbase	1131	1152	1174	1195
I Stack	1124	1145	1166	1187
J Reach	586	596	605	614
K Standover height	423	440	458	475
L BB drop	45	45	45	45

SCARP 294


2020



	Size	S	M	L
A	Size in inch	17	19	21
	Size in cm	43	48	53
B	Seattube length	430	480	530
C	Toptube length	600	620	640
D	Seat angle	74,5/72,7°	74,5/72,9°	74,5/73,0°
E	Head angle	70,0°	70,0°	70,0°
F	Headtube length	105	115	125
G	Chainstay length	441	441	441
H	Wheelbase	1129	1149	1170
I	Stack	603	612	621
J	Reach	433	450	468
K	Standover height	775	772	771
L	BB drop	45	45	45

SCARP 29"

2019



	Size	S	M	L
A	Size in inch Size in cm	17 43	19 48	21 53
B	Seattube length	430	480	530
C	Toptube length	600	620	640
D	Seat angle	74,5 / 72,7°	74,5 / 72,9°	74,5 / 73,0°
E	Head angle	70,0°	70,0°	70,0°
F	Headtube length	105	115	125
G	Chainstay length	441	441	441
H	Wheelbase	1129	1149	1170
I	Stack	603	612	621
J	Reach	433	450	468
K	Standover height	774 / 775	774 / 772	779 / 771
L	BB drop	45	45	45